


ESC. 1:50



ESC. 1:50



g	A	B	C	D	ri	COMPRIMENTO DA BARRA C/ UMA DOBRA	
						ALTERNATIVA 1 (IDEAL)	ALTERNATIVA 2 (ACEITÁVEL)
6,3	2,2	3,0	F - A	G - A	1,6	G + F - 1,4	G + F
8	2,8	3,8	F - A	G - A	2,0	G + F - 1,8	G + F
10	3,5	4,7	F - A	G - A	2,5	G + F - 2,3	G + F
12,5	4,4	5,9	F - A	G - A	3,1	G + F - 2,9	-
16	5,6	7,5	F - A	G - A	4	G + F - 3,7	-
20	10,0	14,1	F - A	G - A	8	G + F - 5,9	-
25	12,5	17,7	F - A	G - A	10	G + F - 7,3	-

PROJ. _____ JM 50010	EXEC. _____ JM 50010	VERIF. _____ JM 50010	FOLHA: _____
APROV. _____ PREFEITURA JUZ DE FORA	ESCALA: _____ INDICADA	IDENTIFICAÇÃO DOC. NORMA 125/2010 - PAD	-
DATA: 27/01/2022	Nº CONTRATADA: _____	JER0001-05-1-0E-PLN-0024	
	Nº CLIENTE: _____		